



CAL/OSHA Requirements

County of Orange

300 N. Flower Street
Santa Ana, CA 92703

 714.667.8888



ocpCustomerCare@ocpw.ocgov.com

www.ocplanning.net



714.667.8885

Criteria to Determine Need for CAL/OSHA Permit from State Division of Occupational Safety and Health

Applicant must comply with Section 17992.5 of the Health and Safety Code and Section 6500 of the State Labor Code.

A. Applicant **IS** Required to obtain a permit for:

1. Construction or Demolition of any Building, Structure, Scaffolding, or Falsework more than three (3) stories high or of Equivalent height (36 ft).
2. Construction of Trenches or Excavations which are five (5) feet or Deeper and into which a person is required to descent.

B. Applicant **IS NOT** Required to obtain a permit when:

1. All work is to be performed by the Owner/Builder and no employee(s) will be hired to perform any work.
2. The Criteria Specified in Paragraph A is not exceeded.

C. APPLICANT'S RESPONSIBILITY:

1. If CAL/OSHA Permit is required, it is the applicant's responsibility to submit proof that a permit has been issued for the project.
2. Failure of the applicant to comply with the above safety criteria may result in issuance of a Stop Work Notice and an order to the applicant to obtain a CAL/OSHA Permit before work is resumed.

IMPORTANT NOTICE TO APPLICANT:

If you are required to obtain a CAL/OSHA permit, you are requested by the CAL/OSHA Office to please call (714) 939-0145 for an appointment time BEFORE you go to the Division of Occupational Safety and Health Administration, Suite 140, 2100 East Katella Avenue, Anaheim, CA 92806.